





Ergebnis: **353** (372.7)
 Serien: 89 84 91 89
 Zähler: 11 14 12 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3159 (2), 2803 (1), 2530 (17)
 beste Teiler 280.5 (21.) 431.3 (29.) 507.4 (28.)
 Trefferlage 0.57 mm links, 0.72 mm tief
 Streuwert 10.54, horizontal: 9.40, vertikal: 11.57




Serie 1:
 7.4 ↓ 7.0 ↖ 9.7 ↙ 9.8 ↑ 9.3 ↘
 10.0 ↘ 9.9 ↓ 10.1 → 9.3 ↓ 10.3 →
 beste Teiler 556.1 (10.) 664.6 (8.) 735.3 (6.)
 Trefferlage 0.45 mm links, 4.93 mm tief
 Streuwert 11.26, horizontal: 11.05, vertikal: 11.47



Serie 2:
 8.8 ↖ 10.3 ↓ 8.9 ← 9.8 ↖ 8.4 ↑
 8.3 ↓ 7.8 ↙ 9.9 ↙ 8.6 ↑ 9.7 ↙
 beste Teiler 539.4 (12.) 806.7 (18.) 898.7 (14.)
 Trefferlage 5.51 mm links, 0.08 mm hoch
 Streuwert 11.48, horizontal: 6.81, vertikal: 14.74



Serie 3:
 10.6 * 9.5 → 9.8 ↘ 8.2 ↘ 8.6 →
 8.9 ↑ 9.2 ↑ 10.3 ↓ 10.4 * 10.2 ↓
 beste Teiler 280.5 (21.) 431.3 (29.) 507.4 (28.)
 Trefferlage 5.40 mm rechts, 0.81 mm hoch
 Streuwert 8.60, horizontal: 8.60, vertikal: 8.59





Serie 4:
 8.7 ↖ 10.1 ↖ 8.9 ↘ 8.9 ← 8.0 ↑
 10.2 ↖ 9.6 ↓ 10.2 ↗ 9.8 ↓ 9.3 →
 beste Teiler 575.0 (38.) 599.8 (36.) 665.9 (32.)
 Trefferlage 1.73 mm links, 1.13 mm hoch
 Streuwert 10.06, horizontal: 8.50, vertikal: 11.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (366.9)
 Serien: 89 88 85 88
 Zähler: 8 18 10 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3160 (1), 2955 (21), 2752 (31)
 beste Teiler 425.0 (8.) 450.1 (18.) 493.2 (40.)
 Trefferlage 0.83 mm links, 6.90 mm tief
 Streuwert 10.19, horizontal: 10.58, vertikal: 9.79




Serie 1:
 7.0 ↙ 9.8 ↘ 9.1 ↓ 8.5 → 9.7 →
 8.8 ↗ 10.3 ↖ 10.4 * 10.0 ↓ 9.1 →
 beste Teiler 425.0 (8.) 545.8 (7.) 797.2 (9.)
 Trefferlage 3.48 mm rechts, 6.03 mm tief
 Streuwert 10.36, horizontal: 9.64, vertikal: 11.04



Serie 2:
 9.2 ↓ 8.6 ↓ 9.7 ↖ 9.7 ↘ 8.8 ←
 8.5 ↖ 8.5 ↖ 10.4 * 10.3 ← 9.3 ↘
 beste Teiler 450.1 (18.) 516.3 (19.) 1003.1 (13.)
 Trefferlage 7.65 mm links, 4.17 mm tief
 Streuwert 8.38, horizontal: 6.87, vertikal: 9.66





Serie 3:
 7.3 ↘ 9.8 ← 9.2 ↓ 9.1 ↖ 10.2 ↘
 7.9 → 8.1 ↓ 8.5 ↖ 9.6 → 9.2 ↖
 beste Teiler 632.0 (25.) 936.1 (22.) 1110.9 (29.)
 Trefferlage 0.15 mm links, 11.74 mm tief
 Streuwert 10.29, horizontal: 12.28, vertikal: 7.79




Serie 4:
 7.5 ↖ 9.9 ↓ 8.5 → 9.6 ↓ 10.3 ↓
 9.3 ↑ 9.4 → 9.0 ↖ 8.5 ↘ 10.3 ↑
 beste Teiler 493.2 (40.) 558.0 (35.) 855.4 (32.)
 Trefferlage 0.97 mm rechts, 5.67 mm tief
 Streuwert 10.50, horizontal: 10.86, vertikal: 10.12

Unterschrift des Schützen


Ergebnis: **371** (389.5)
 Serien: 92 90 96 93
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2199 (15), 1958 (18), 1805 (2)
 beste Teiler 103.2 (30.) 137.6 (40.) 204.6 (24.)
 Trefferlage 0.89 mm rechts, 1.64 mm hoch
 Streuwert 7.76, horizontal: 6.81, vertikal: 8.60




Serie 1:
 10.4 ↖ 8.7 ↑ 9.0 ↗ 9.3 ↗ 10.5 *
 9.2 ↓ 10.2 ↗ 10.1 ↘ 9.8 ↖ 8.8 ↖
 beste Teiler 323.4 (5.) 477.6 (1.) 582.4 (7.)
 Trefferlage 1.51 mm rechts, 5.04 mm hoch
 Streuwert 8.06, horizontal: 7.01, vertikal: 8.99



Serie 2:
 10.0 ↑ 9.7 ← 9.2 ↓ 10.3 ↓ 8.2 ↗
 9.9 ↗ 9.2 ↘ 8.5 ↘ 9.9 ↗ 9.8 ↓
 beste Teiler 526.0 (14.) 781.1 (11.) 840.9 (19.)
 Trefferlage 0.01 mm links, 1.68 mm tief
 Streuwert 9.56, horizontal: 7.92, vertikal: 10.95



Serie 3:
 9.8 ↓ 8.9 ↗ 10.2 ↘ 10.7 * 10.0 ↖
 10.6 * 10.4 * 9.6 ↖ 10.0 ↗ 10.8 *
 beste Teiler 103.2 (30.) 204.6 (24.) 320.7 (26.)
 Trefferlage 1.23 mm links, 1.51 mm hoch
 Streuwert 5.87, horizontal: 4.95, vertikal: 6.67





Serie 4:
 9.9 ↘ 9.7 ↖ 9.0 → 9.5 ↓ 10.2 ↗
 9.5 → 9.4 ↑ 10.5 * 9.3 ↗ 10.8 *
 beste Teiler 137.6 (40.) 356.5 (38.) 593.0 (35.)
 Trefferlage 3.29 mm rechts, 1.70 mm hoch
 Streuwert 7.14, horizontal: 7.22, vertikal: 7.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (379.9)
 Serien: 90 92 90 87
 Zähler: 13 15 10 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2858 (37), 2705 (35), 2193 (40)
 beste Teiler 165.4 (34.) 177.3 (17.) 259.8 (1.)
 Trefferlage 1.75 mm links, 1.96 mm tief
 Streuwert 9.41, horizontal: 8.30, vertikal: 10.40




Serie 1:
 10.6 * 8.8 ↑ 8.5 → 9.5 ↙ 9.8 ↓
 10.5 * 9.3 ↑ 10.2 ↘ 9.8 ↘ 8.9 ←
 beste Teiler 259.8 (1.) 339.0 (6.) 568.6 (8.)
 Trefferlage 1.44 mm links, 0.60 mm tief
 Streuwert 9.01, horizontal: 9.09, vertikal: 8.94



Serie 2:
 10.5 * 9.4 ↓ 8.4 ↓ 8.6 ↙ 9.7 ↗
 9.6 ↘ 10.7 * 10.5 * 9.3 ↓ 10.0 ↗
 beste Teiler 177.3 (17.) 358.2 (11.) 387.8 (18.)
 Trefferlage 2.08 mm links, 2.98 mm tief
 Streuwert 8.35, horizontal: 6.59, vertikal: 9.80



Serie 3:
 9.5 ↑ 10.2 ↘ 8.4 ↗ 9.9 ↓ 8.9 ↙
 8.7 ← 9.6 → 10.5 * 9.4 ↘ 10.1 ↓
 beste Teiler 371.7 (28.) 575.4 (22.) 698.1 (30.)
 Trefferlage 2.47 mm links, 0.21 mm tief
 Streuwert 9.31, horizontal: 9.03, vertikal: 9.59





Serie 4:
 9.7 ↘ 9.6 → 10.0 ↓ 10.7 * 7.6 ↓
 9.9 → 7.4 ↙ 8.9 ↓ 10.1 ↘ 8.2 ↗
 beste Teiler 165.4 (34.) 669.9 (39.) 733.5 (33.)
 Trefferlage 0.99 mm links, 4.05 mm tief
 Streuwert 11.81, horizontal: 9.46, vertikal: 13.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (344.1)
 Serien: 77 78 84 86
 Zähler: 5 14 7 10 3 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4458 (3), 3932 (10), 3699 (31)
 beste Teiler 387.6 (18.) 397.7 (14.) 409.7 (27.)
 Trefferlage 7.82 mm links, 2.16 mm hoch
 Streuwert 14.15, horizontal: 14.29, vertikal: 14.02




Serie 1:
 7.2 ↙ 9.7 ↘ 5.4 ↘ 7.9 ↗ 9.0 →
 9.6 ← 7.9 → 9.0 ↘ 9.0 ↓ 6.0 ←
 beste Teiler 995.7 (2.) 1067.1 (6.) 1521.5 (5.)
 Trefferlage 7.15 mm links, 6.27 mm hoch
 Streuwert 17.74, horizontal: 20.75, vertikal: 14.10



Serie 2:
 7.7 ↘ 7.1 ↖ 7.9 ↖ 10.5 * 8.9 ↑
 6.8 ↙ 8.0 ↓ 10.5 * 8.9 ↙ 7.8 ←
 beste Teiler 387.6 (18.) 397.7 (14.) 1637.1 (15.)
 Trefferlage 11.47 mm links, 2.24 mm hoch
 Streuwert 14.40, horizontal: 10.17, vertikal: 17.65



Serie 3:
 9.7 ↗ 8.7 ↗ 7.8 ↙ 9.9 ↙ 9.5 ↓
 9.9 → 10.4 * 7.5 ↖ 7.0 ↑ 9.1 ↖
 beste Teiler 409.7 (27.) 864.4 (24.) 879.6 (26.)
 Trefferlage 5.42 mm links, 4.46 mm hoch
 Streuwert 12.60, horizontal: 11.99, vertikal: 13.19





Serie 4:
 6.3 ↙ 8.8 ← 9.4 ↑ 9.9 ↘ 8.8 ↘
 8.0 ↙ 9.2 ↖ 10.0 ↓ 10.3 ↘ 9.1 ↓
 beste Teiler 552.2 (39.) 735.9 (38.) 827.4 (34.)
 Trefferlage 7.24 mm links, 4.30 mm tief
 Streuwert 11.85, horizontal: 13.61, vertikal: 9.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (352.5)
 Serien: 82 85 82 83
 Zähler: 6 13 13 4 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4044 (7), 3725 (34), 3606 (29)
 beste Teiler 424.3 (2.) 433.0 (13.) 493.6 (26.)
 Trefferlage 6.73 mm rechts, 4.02 mm hoch
 Streuwert 12.71, horizontal: 12.51, vertikal: 12.90




Serie 1:
 8.9 ↗ 10.4 * 8.4 ↗ 10.3 → 7.9 ↑
 8.9 → 5.9 ↗ 8.8 ↖ 9.6 → 9.8 ↘
 beste Teiler 424.3 (2.) 536.2 (4.) 886.7 (10.)
 Trefferlage 4.61 mm rechts, 8.60 mm hoch
 Streuwert 12.36, horizontal: 10.03, vertikal: 14.31



Serie 2:
 8.7 ↗ 8.0 ↗ 10.4 * 8.5 ↓ 8.7 ↘
 8.5 ↗ 9.2 ↓ 7.2 ↑ 10.2 → 9.1 →
 beste Teiler 433.0 (13.) 612.5 (19.) 1422.1 (17.)
 Trefferlage 6.73 mm rechts, 1.93 mm hoch
 Streuwert 12.68, horizontal: 8.37, vertikal: 15.86



Serie 3:
 7.5 ↗ 9.5 ↘ 8.7 ↗ 6.9 ↗ 9.7 ↗
 10.3 ↖ 9.6 ↘ 9.8 ↗ 6.4 → 9.1 ↖
 beste Teiler 493.6 (26.) 950.8 (28.) 1008.1 (25.)
 Trefferlage 7.23 mm rechts, 7.77 mm hoch
 Streuwert 12.97, horizontal: 15.65, vertikal: 9.56





Serie 4:
 8.6 ↘ 9.6 → 7.8 → 6.3 → 9.1 ←
 9.6 → 10.2 ↓ 8.8 ↗ 8.2 ↓ 9.4 ↑
 beste Teiler 629.8 (37.) 1056.7 (32.) 1085.7 (36.)
 Trefferlage 8.35 mm rechts, 2.23 mm tief
 Streuwert 13.05, horizontal: 15.96, vertikal: 9.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **243** (259.2)
 Serien: 32 64 70 77
 Zähler: 1 5 8 9 4 2 2 5 1 2
 Innenzehner: 1
 weiteste: 8284 (3), 7547 (4), 7452 (2)
 beste Teiler 440.2 (27.) 944.2 (20.) 1356.5 (40.)
 Trefferlage 15.23 mm links, 20.75 mm tief
 Streuwert 22.87, horizontal: 17.83, vertikal: 26.99




Serie 1:
 6.3 ↓ 1.6 ↓ 0.0 ↓ 1.5 ↓ 3.9 ↓
 8.4 ↗ 5.4 ↓ 2.2 ↓ 3.2 ↖ 3.1 ↓
 beste Teiler 2030.5 (6.) 3759.3 (1.) 4449.3 (7.)
 Trefferlage 22.23 mm links, 47.75 mm tief
 Streuwert 23.62, horizontal: 19.35, vertikal: 27.22



Serie 2:
 3.4 ← 7.5 ↘ 4.2 ↖ 7.5 ↓ 8.6 ↑
 7.3 ↖ 5.4 ↖ 6.8 ← 8.0 ↓ 9.8 ↖
 beste Teiler 944.2 (20.) 1841.0 (15.) 2389.3 (19.)
 Trefferlage 23.19 mm links, 8.31 mm tief
 Streuwert 19.66, horizontal: 21.57, vertikal: 17.54



Serie 3:
 8.2 ↑ 4.3 ↓ 3.2 ↓ 7.1 ↓ 7.5 ↓
 8.4 ← 10.4 * 7.2 ↑ 7.7 ↓ 9.0 ↓
 beste Teiler 440.2 (27.) 1596.8 (30.) 2014.1 (26.)
 Trefferlage 2.87 mm links, 16.34 mm tief
 Streuwert 21.57, horizontal: 8.31, vertikal: 29.35





Serie 4:
 8.7 ↓ 7.2 ↓ 7.9 ↓ 9.2 ↖ 6.6 ←
 8.7 ← 8.7 ← 6.7 ↖ 9.1 ↘ 9.3 ↖
 beste Teiler 1356.5 (40.) 1396.1 (34.) 1442.2 (39.)
 Trefferlage 12.63 mm links, 10.61 mm tief
 Streuwert 12.14, horizontal: 12.90, vertikal: 11.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (306.7)
 Serien: 72 80 65 72
 Zähler: 4 7 6 11 6 2 3 1 0 0
 Innenzehner: 3
 weiteste: 5795 (31), 5327 (14), 5095 (9)
 beste Teiler 218.7 (8.) 432.7 (20.) 453.6 (36.)
 Trefferlage 11.99 mm rechts, 10.46 mm hoch
 Streuwert 18.01, horizontal: 17.15, vertikal: 18.84




Serie 1:
 7.8 ↘ 6.5 ↗ 7.5 ↑ 9.4 ↓ 9.0 ↖
 6.4 ↑ 6.9 ↓ 10.7 * 4.6 → 8.2 ↑
 beste Teiler 218.7 (8.) 1264.9 (4.) 1574.7 (5.)
 Trefferlage 10.20 mm rechts, 6.77 mm hoch
 Streuwert 19.77, horizontal: 19.15, vertikal: 20.37



Serie 2:
 9.8 ↗ 8.0 ↑ 9.2 ↖ 4.3 ↑ 8.6 ↘
 7.1 ↗ 7.2 ↘ 10.0 → 8.4 ↓ 10.4 *
 beste Teiler 432.7 (20.) 771.9 (18.) 931.0 (11.)
 Trefferlage 4.19 mm rechts, 8.69 mm hoch
 Streuwert 17.43, horizontal: 13.02, vertikal: 20.93



Serie 3:
 5.3 ↗ 9.5 ↘ 6.0 ↑ 6.8 ↓ 5.3 →
 9.8 ↑ 8.0 ↗ 6.4 ↗ 7.6 → 4.6 →
 beste Teiler 883.6 (26.) 1167.0 (22.) 2368.9 (27.)
 Trefferlage 16.31 mm rechts, 13.38 mm hoch
 Streuwert 20.59, horizontal: 21.10, vertikal: 20.06





Serie 4:
 3.7 ↗ 7.4 ↗ 9.5 → 7.2 → 7.3 ↗
 10.4 * 7.9 ↗ 7.6 ↗ 8.9 ↓ 7.5 ↗
 beste Teiler 453.6 (36.) 1132.9 (33.) 1665.4 (39.)
 Trefferlage 17.27 mm rechts, 12.98 mm hoch
 Streuwert 14.44, horizontal: 13.04, vertikal: 15.72

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **370** (388.0)
 Serien: 93 90 92 95
 Zähler: 15 21 3 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2616 (24), 2356 (20), 2101 (5)
 beste Teiler 115.6 (28.) 185.1 (7.) 317.6 (37.)
 Trefferlage 0.08 mm links, 1.46 mm hoch
 Streuwert 8.18, horizontal: 8.68, vertikal: 7.64




Serie 1:
 9.3 ↘ 9.1 ← 9.6 ↖ 10.5 * 8.3 ↗
 9.9 ← 10.7 * 10.2 ↗ 10.0 ↘ 9.5 →

beste Teiler 185.1 (7.) 381.9 (4.) 588.7 (8.)
 Trefferlage 1.67 mm links, 0.40 mm tief
 Streuwert 8.31, horizontal: 9.99, vertikal: 6.19




Serie 2:
 10.5 * 9.4 ↗ 9.9 ↓ 9.5 ↘ 9.8 ↖
 9.5 ↓ 9.5 ↓ 9.6 → 9.1 ↑ 8.0 ↖

beste Teiler 358.7 (11.) 856.5 (13.) 937.0 (15.)
 Trefferlage 2.11 mm rechts, 1.59 mm hoch
 Streuwert 9.34, horizontal: 6.56, vertikal: 11.47



Serie 3:
 10.5 * 9.8 ← 10.0 ↘ 7.7 → 10.5 *
 9.4 ↑ 9.5 ↗ 10.8 * 9.3 ↑ 9.6 ↘

beste Teiler 115.6 (28.) 340.1 (21.) 346.9 (25.)
 Trefferlage 3.07 mm rechts, 1.42 mm hoch
 Streuwert 8.57, horizontal: 9.75, vertikal: 7.21





Serie 4:
 10.4 * 9.2 ↖ 10.5 * 10.0 ← 8.6 ↖
 9.9 ↗ 10.6 * 9.4 ↖ 10.0 ↖ 10.4 *

beste Teiler 317.6 (37.) 354.0 (33.) 421.0 (31.)
 Trefferlage 3.87 mm links, 3.24 mm hoch
 Streuwert 6.22, horizontal: 7.32, vertikal: 4.88

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **349** (366.8)
 Serien: 86 86 88 89
 Zähler: 5 21 12 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2702 (15), 2432 (24), 2366 (7)
 beste Teiler 302.3 (30.) 651.1 (1.) 727.0 (29.)
 Trefferlage 0.63 mm rechts, 1.43 mm tief
 Streuwert 10.96, horizontal: 11.89, vertikal: 9.95




Serie 1:
 10.1 → 9.7 ↑ 9.6 ↖ 9.2 ↙ 8.4 ←
 8.8 ↙ 8.0 ↖ 8.9 ↓ 8.3 → 9.5 →

beste Teiler 651.1 (1.) 975.9 (2.) 1075.9 (3.)
 Trefferlage 4.00 mm links, 1.29 mm tief
 Streuwert 11.64, horizontal: 13.94, vertikal: 8.77




Serie 2:
 9.0 ↘ 8.5 ↓ 9.3 → 8.3 ↙ 7.6 →
 9.4 ↖ 9.8 ↙ 9.9 ↙ 9.9 ↖ 9.6 ↗

beste Teiler 826.6 (18.) 839.4 (19.) 891.0 (17.)
 Trefferlage 0.62 mm rechts, 4.48 mm tief
 Streuwert 11.25, horizontal: 12.48, vertikal: 9.86



Serie 3:
 9.3 ↓ 9.2 ↑ 8.3 ↑ 7.9 → 8.1 ↙
 10.0 ↑ 9.9 ↗ 8.8 → 10.0 ↓ 10.6 *

beste Teiler 302.3 (30.) 727.0 (29.) 748.5 (26.)
 Trefferlage 3.72 mm rechts, 1.25 mm hoch
 Streuwert 11.21, horizontal: 10.88, vertikal: 11.53





Serie 4:
 9.7 ↙ 9.2 ↓ 9.0 ↙ 8.7 ↗ 9.8 ↘
 8.3 ↗ 10.0 ↑ 9.0 → 9.4 ↓ 9.8 ←

beste Teiler 759.8 (37.) 915.8 (40.) 929.4 (35.)
 Trefferlage 2.20 mm rechts, 1.21 mm tief
 Streuwert 10.24, horizontal: 10.32, vertikal: 10.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (374.0)
 Serien: 87 90 91 86
 Zähler: 10 18 10 1 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4181 (7), 2629 (31), 2287 (9)
 beste Teiler 100.7 (27.) 229.5 (18.) 456.8 (2.)
 Trefferlage 0.70 mm rechts, 4.12 mm tief
 Streuwert 10.11, horizontal: 11.68, vertikal: 8.24




Serie 1:
 9.8 ↙ 10.4 * 9.5 ↘ 10.2 ↘ 8.9 ↗
 10.2 → 5.7 ↖ 9.7 ↘ 8.1 ↗ 9.7 ↘
 beste Teiler 456.8 (2.) 603.5 (4.) 631.0 (6.)
 Trefferlage 3.27 mm links, 5.10 mm tief
 Streuwert 12.21, horizontal: 14.02, vertikal: 10.07



Serie 2:
 9.8 ↓ 10.2 ↑ 8.9 ↖ 9.3 ↑ 9.8 ←
 10.3 ↘ 8.7 ↖ 10.7 * 9.0 → 8.3 →
 beste Teiler 229.5 (18.) 503.7 (16.) 631.5 (12.)
 Trefferlage 0.21 mm rechts, 1.03 mm tief
 Streuwert 9.64, horizontal: 12.00, vertikal: 6.47



Serie 3:
 9.5 ↘ 8.7 → 9.6 ↖ 10.1 ↘ 9.6 →
 8.9 ↖ 10.8 * 10.1 ↘ 10.2 ↓ 8.4 ↘
 beste Teiler 100.7 (27.) 600.7 (29.) 657.9 (24.)
 Trefferlage 2.32 mm rechts, 4.00 mm tief
 Streuwert 8.57, horizontal: 10.81, vertikal: 5.48





Serie 4:
 7.7 ↓ 9.5 ↘ 9.3 ↗ 9.4 → 8.8 →
 9.1 ↓ 8.9 ← 9.5 ↓ 9.3 ↓ 9.4 →
 beste Teiler 1154.8 (38.) 1168.3 (32.) 1216.8 (34.)
 Trefferlage 3.57 mm rechts, 6.34 mm tief
 Streuwert 10.18, horizontal: 10.16, vertikal: 10.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (392.9)
 Serien: 93 92 94 97
 Zähler: 21 15 3 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2632 (8), 1830 (24), 1690 (4)
 beste Teiler 185.6 (7.) 277.8 (3.) 380.1 (37.)
 Trefferlage 0.92 mm links, 1.66 mm tief
 Streuwert 7.25, horizontal: 6.31, vertikal: 8.08




Serie 1:
 9.3 ← 10.3 ↙ 10.6 * 8.8 → 10.2 ↑
 10.3 ↘ 10.7 * 7.7 ↑ 9.0 ↘ 10.3 ←
 beste Teiler 185.6 (7.) 277.8 (3.) 517.5 (2.)
 Trefferlage 1.47 mm links, 1.99 mm hoch
 Streuwert 9.01, horizontal: 8.10, vertikal: 9.83



Serie 2:
 9.1 ↓ 9.6 → 9.9 ↓ 10.3 → 10.1 ↓
 8.8 ← 10.2 ↘ 9.6 ↑ 9.9 ↖ 9.8 ↘
 beste Teiler 492.8 (14.) 637.5 (17.) 668.3 (15.)
 Trefferlage 0.36 mm links, 0.59 mm tief
 Streuwert 7.72, horizontal: 7.62, vertikal: 7.81



Serie 3:
 10.0 ↘ 9.3 ↘ 10.1 ← 8.7 ↓ 10.4 *
 10.2 ↘ 9.9 ↘ 9.2 ↓ 9.6 ↓ 10.5 *
 beste Teiler 400.7 (30.) 441.0 (25.) 585.6 (26.)
 Trefferlage 3.25 mm links, 6.02 mm tief
 Streuwert 5.81, horizontal: 4.02, vertikal: 7.16





Serie 4:
 9.7 ↓ 10.2 ↓ 10.1 → 10.1 ↑ 9.9 ↖
 10.1 ↘ 10.5 * 10.0 ↓ 9.7 ↘ 10.2 ↓
 beste Teiler 380.1 (37.) 567.1 (40.) 610.7 (32.)
 Trefferlage 1.41 mm rechts, 2.01 mm tief
 Streuwert 5.31, horizontal: 4.43, vertikal: 6.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **318** (335.6)
 Serien: 77 73 88 80
 Zähler: 5 14 9 5 5 1 0 0 0 0
 Innenzehner: 1
 weiteste: 8210 (13), 4132 (1), 3804 (32)
 beste Teiler 413.6 (21.) 477.0 (38.) 543.8 (18.)
 Trefferlage 9.11 mm links, 6.76 mm tief
 Streuwert 15.85, horizontal: 17.78, vertikal: 13.65




Serie 1:
 5.8 ← 9.8 ↖ 6.4 ↗ 6.4 ↘ 7.5 ↙
 9.0 ↘ 10.2 ↘ 7.9 ← 10.0 ↑ 8.3 ↘
 beste Teiler 578.7 (7.) 789.6 (9.) 902.9 (2.)
 Trefferlage 18.57 mm links, 5.56 mm hoch
 Streuwert 12.46, horizontal: 13.84, vertikal: 10.90



Serie 2:
 7.7 ↓ 6.6 ← 0.0 ← 9.3 ↘ 8.0 ↓
 7.6 ← 9.9 ↓ 10.3 ↓ 9.7 ↑ 8.6 ↙
 beste Teiler 543.8 (18.) 879.0 (17.) 964.6 (19.)
 Trefferlage 15.17 mm links, 11.51 mm tief
 Streuwert 19.76, horizontal: 25.73, vertikal: 10.91



Serie 3:
 10.4 * 8.1 ↙ 9.3 ↘ 8.5 ← 9.7 ↙
 8.2 ↓ 9.2 ↓ 9.3 ↙ 9.8 ↘ 9.8 ↘
 beste Teiler 413.6 (21.) 897.4 (29.) 953.3 (30.)
 Trefferlage 3.66 mm links, 8.31 mm tief
 Streuwert 8.79, horizontal: 10.92, vertikal: 5.95





Serie 4:
 9.7 ← 6.2 ↓ 8.3 ↙ 6.3 ↓ 7.1 ↓
 8.5 ↑ 9.2 ↘ 10.4 ↓ 8.9 ↘ 9.7 ↘
 beste Teiler 477.0 (38.) 1009.0 (31.) 1026.7 (40.)
 Trefferlage 0.96 mm rechts, 12.77 mm tief
 Streuwert 14.28, horizontal: 10.50, vertikal: 17.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.6)
 Serien: 86 90 91 91
 Zähler: 10 20 9 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3480 (6), 2164 (18), 1966 (10)
 beste Teiler 187.0 (32.) 483.1 (36.) 554.1 (30.)
 Trefferlage 4.24 mm links, 2.31 mm tief
 Streuwert 9.20, horizontal: 9.91, vertikal: 8.43




Serie 1:
 9.1 → 8.8 ↙ 10.0 ↑ 9.4 ↖ 9.1 ↗
 6.6 ↙ 10.1 ← 8.6 ← 9.4 ↖ 8.5 ←
 beste Teiler 672.5 (7.) 731.9 (3.) 1204.5 (4.)
 Trefferlage 8.28 mm links, 2.04 mm tief
 Streuwert 11.41, horizontal: 13.50, vertikal: 8.82



Serie 2:
 9.9 ↓ 9.2 ↓ 9.3 ↙ 9.8 ↗ 10.2 ↙
 8.6 ↙ 10.0 ↓ 8.2 ↘ 8.9 ↘ 10.1 ↘
 beste Teiler 614.1 (15.) 683.2 (20.) 763.0 (17.)
 Trefferlage 6.05 mm links, 2.41 mm tief
 Streuwert 8.56, horizontal: 7.25, vertikal: 9.70



Serie 3:
 9.4 ↖ 9.4 ↓ 9.2 → 9.8 ↘ 9.5 ←
 9.5 → 8.9 ↙ 9.3 ↘ 10.0 ↗ 10.3 ↖
 beste Teiler 554.1 (30.) 745.2 (29.) 917.6 (24.)
 Trefferlage 2.70 mm links, 1.03 mm hoch
 Streuwert 8.53, horizontal: 9.75, vertikal: 7.12





Serie 4:
 9.9 ↗ 10.7 * 8.9 ↓ 9.5 → 9.8 ↙
 10.3 ↓ 9.1 ↙ 8.8 ↙ 9.3 ↓ 10.2 ↗
 beste Teiler 187.0 (32.) 483.1 (36.) 563.6 (40.)
 Trefferlage 0.05 mm rechts, 5.83 mm tief
 Streuwert 7.40, horizontal: 7.11, vertikal: 7.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.2)
 Serien: 86 85 90 87
 Zähler: 6 21 9 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3335 (10), 3107 (11), 2941 (37)
 beste Teiler 244.0 (22.) 463.3 (4.) 597.7 (35.)
 Trefferlage 0.32 mm links, 5.17 mm hoch
 Streuwert 10.97, horizontal: 11.85, vertikal: 10.01




Serie 1:
 8.5 ↗ 8.5 ↘ 9.9 ← 10.4 * 8.8 ↖
 8.4 ↖ 10.1 ↘ 10.1 ↙ 9.5 ↗ 6.8 ↗
 beste Teiler 463.3 (4.) 658.4 (8.) 676.0 (7.)
 Trefferlage 0.73 mm rechts, 8.57 mm hoch
 Streuwert 11.00, horizontal: 10.42, vertikal: 11.56



Serie 2:
 7.1 ← 9.0 ↖ 8.4 ↑ 9.1 ← 9.7 ↖
 9.4 ← 9.1 → 9.6 ↑ 7.9 ↑ 9.8 ↑
 beste Teiler 926.9 (20.) 1024.1 (15.) 1099.1 (18.)
 Trefferlage 5.26 mm links, 8.39 mm hoch
 Streuwert 10.86, horizontal: 12.56, vertikal: 8.84



Serie 3:
 9.2 ↗ 10.6 * 8.9 ↑ 9.6 ↘ 9.1 ←
 9.9 ↑ 9.8 ← 9.4 → 9.4 → 9.6 ↙
 beste Teiler 244.0 (22.) 869.0 (26.) 901.6 (27.)
 Trefferlage 1.21 mm rechts, 1.43 mm hoch
 Streuwert 8.78, horizontal: 9.10, vertikal: 8.44





Serie 4:
 8.3 ↗ 9.4 ↙ 10.1 ↖ 9.1 ↑ 10.2 ↑
 9.2 ↓ 7.3 ← 8.6 ↑ 9.0 ↘ 8.4 →
 beste Teiler 597.7 (35.) 719.9 (33.) 1258.4 (32.)
 Trefferlage 2.02 mm rechts, 2.30 mm hoch
 Streuwert 12.74, horizontal: 14.91, vertikal: 10.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **282** (300.4)
 Serien: 70 69 78 65
 Zähler: 2 6 12 7 5 4 3 0 0 1
 Innenzehner: 1
 weiteste: 7373 (11), 5134 (36), 5098 (6)
 beste Teiler 313.9 (40.) 768.2 (19.) 1119.1 (22.)
 Trefferlage 1.35 mm links, 6.02 mm tief
 Streuwert 21.72, horizontal: 18.94, vertikal: 24.18




Serie 1:
 6.3 ↑ 8.8 ← 6.0 ↖ 7.3 ← 8.2 →
 4.6 ← 8.1 ↘ 8.3 ↘ 8.5 ↘ 7.8 ↘
 beste Teiler 1724.4 (2.) 1942.8 (9.) 2114.6 (8.)
 Trefferlage 8.02 mm links, 1.50 mm hoch
 Streuwert 21.81, horizontal: 22.55, vertikal: 21.04



Serie 2:
 1.7 ↓ 8.3 ↑ 5.7 ↓ 9.0 ↓ 8.6 ↗
 9.4 ↘ 8.4 ↙ 6.9 ↙ 10.0 ← 5.5 ↘
 beste Teiler 768.2 (19.) 1274.1 (16.) 1570.1 (14.)
 Trefferlage 0.84 mm rechts, 18.47 mm tief
 Streuwert 21.68, horizontal: 13.87, vertikal: 27.33



Serie 3:
 8.4 ↓ 9.6 ↖ 8.5 ↗ 9.4 ↖ 7.3 ↘
 7.8 ↙ 9.3 ↘ 8.4 ↗ 8.1 ↖ 5.8 ←
 beste Teiler 1119.1 (22.) 1265.0 (24.) 1313.6 (27.)
 Trefferlage 3.89 mm links, 4.97 mm tief
 Streuwert 16.57, horizontal: 17.74, vertikal: 15.30



Serie 4:
 7.7 ↖ 4.7 ↘ 9.1 ↓ 7.5 ↘ 7.8 ↑
 4.5 ↓ 6.2 → 6.5 ↖ 5.8 ↑ 10.6 *
 beste Teiler 313.9 (40.) 1510.4 (33.) 2485.9 (35.)
 Trefferlage 5.63 mm rechts, 2.13 mm tief
 Streuwert 25.29, horizontal: 20.56, vertikal: 29.26

Unterschrift des Schützen

Meyton Elektronik