




Ergebnis: **174** (184.1)
 Serien: 88 86
 Zähler: 5 6 7 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2942 (4), 2494 (2), 2221 (19)
 beste Teiler 316.3 (5.) 543.9 (10.) 643.5 (13.)
 Trefferlage 8.05 mm rechts, 2.72 mm tief
 Streuwert 9.57, horizontal: 7.32, vertikal: 11.39





Serie 1:
 8.9 ↓ 7.8 ↓ 9.5 ↘ 7.3 ↓ 10.6 *
 9.4 → 10.1 → 9.7 → 9.9 → 10.3 →
 beste Teiler 316.3 (5.) 543.9 (10.) 675.4 (7.)
 Trefferlage 5.14 mm rechts, 7.88 mm tief
 Streuwert 8.86, horizontal: 5.15, vertikal: 11.43




Serie 2:
 8.4 ↗ 9.8 ↖ 10.1 → 10.1 ↑ 8.4 →
 8.7 → 8.6 ↗ 8.7 ↘ 8.2 ↗ 9.6 ↘
 beste Teiler 643.5 (13.) 649.3 (14.) 945.8 (12.)
 Trefferlage 10.96 mm rechts, 2.42 mm hoch
 Streuwert 8.72, horizontal: 8.23, vertikal: 9.18

Unterschrift des Schützen

Ergebnis: **172** (178.2)
 Serien: 85 87
 Zähler: 4 5 10 1 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3152 (8), 2304 (16), 2168 (17)
 beste Teiler 555.4 (3.) 643.2 (18.) 711.7 (2.)
 Trefferlage 2.15 mm rechts, 10.62 mm hoch
 Streuwert 9.96, horizontal: 6.25, vertikal: 12.63





Serie 1:
 8.2 ↗ 10.1 ↑ 10.3 ← 9.1 → 8.4 ↑
 8.5 ↑ 9.0 ↘ 7.0 ↖ 8.6 ↑ 8.8 ↑
 beste Teiler 555.4 (3.) 711.7 (2.) 1490.0 (4.)
 Trefferlage 1.73 mm rechts, 12.29 mm hoch
 Streuwert 10.26, horizontal: 7.63, vertikal: 12.34




Serie 2:
 8.8 ↖ 9.2 ↓ 10.0 ↖ 9.6 ↗ 9.1 ↓
 8.1 ↗ 8.2 ↗ 10.1 ↑ 8.8 ↑ 8.3 ↑
 beste Teiler 643.2 (18.) 724.4 (13.) 1117.7 (14.)
 Trefferlage 2.57 mm rechts, 8.95 mm hoch
 Streuwert 10.05, horizontal: 4.87, vertikal: 13.35

Unterschrift des Schützen

Ergebnis: **169** (178.6)
 Serien: 83 86
 Zähler: 2 9 7 1 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4346 (4), 2582 (1), 2324 (9)
 beste Teiler 128.7 (5.) 632.6 (10.) 834.6 (16.)
 Trefferlage 3.60 mm links, 1.01 mm hoch
 Streuwert 12.99, horizontal: 8.17, vertikal: 16.45





Serie 1:
 7.7 ↗ 8.9 ← 9.5 ↖ 5.5 ↑ 10.8 *
 9.6 ← 8.7 ↖ 9.4 ↗ 8.0 ← 10.2 ↓
 beste Teiler 128.7 (5.) 632.6 (10.) 1078.6 (6.)
 Trefferlage 3.66 mm links, 9.15 mm hoch
 Streuwert 13.29, horizontal: 10.92, vertikal: 15.29




Serie 2:
 9.1 ↖ 9.8 ↙ 8.1 ↑ 9.2 ↓ 9.2 ↓
 9.9 ↙ 9.5 ↓ 8.3 ↓ 8.5 ↓ 8.7 ↓
 beste Teiler 834.6 (16.) 934.8 (12.) 1187.6 (17.)
 Trefferlage 3.53 mm links, 7.12 mm tief
 Streuwert 10.30, horizontal: 4.64, vertikal: 13.80

Unterschrift des Schützen

Ergebnis: **167** (174.8)
 Serien: 82 85
 Zähler: 3 8 6 2 0 0 0 1 0 0
 Innenzehner: 0
 weiteste: 6212 (4), 3192 (10), 2403 (15)
 beste Teiler 645.3 (1.) 664.9 (12.) 680.5 (11.)
 Trefferlage 2.63 mm links, 6.33 mm tief
 Streuwert 14.70, horizontal: 8.13, vertikal: 19.14





Serie 1:
 10.1 ↘ 9.5 ↑ 9.4 ↗ 3.2 ↓ 9.5 ↗
 9.0 ↙ 9.6 → 9.5 ↓ 8.6 ↘ 7.0 ↘
 beste Teiler 645.3 (1.) 1098.9 (7.) 1151.2 (5.)
 Trefferlage 0.98 mm links, 9.78 mm tief
 Streuwert 17.07, horizontal: 9.70, vertikal: 22.11




Serie 2:
 10.1 ↙ 10.1 ↙ 8.3 ↖ 8.8 ↖ 7.9 ↓
 8.8 ↓ 9.2 ↓ 9.6 ↖ 8.6 ↖ 8.0 ↓
 beste Teiler 664.9 (12.) 680.5 (11.) 1056.8 (18.)
 Trefferlage 4.28 mm links, 2.87 mm tief
 Streuwert 12.20, horizontal: 6.28, vertikal: 16.06

Unterschrift des Schützen

Ergebnis: **164** (173.3)
 Serien: 77 87
 Zähler: 2 7 8 0 2 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4150 (4), 3934 (5), 3930 (3)
 beste Teiler 160.6 (1.) 712.1 (20.) 818.1 (8.)
 Trefferlage 3.87 mm links, 7.97 mm hoch
 Streuwert 14.03, horizontal: 11.07, vertikal: 16.47





Serie 1:
 10.8 * 9.8 ↘ 6.0 ↑ 5.8 ↑ 6.0 ↗
 8.4 ↙ 8.7 ↑ 9.9 ↘ 8.4 ↘ 8.0 ↘
 beste Teiler 160.6 (1.) 818.1 (8.) 949.4 (2.)
 Trefferlage 3.04 mm links, 15.89 mm hoch
 Streuwert 14.99, horizontal: 11.27, vertikal: 17.96




Serie 2:
 8.4 ↘ 8.9 ↓ 9.9 ↙ 8.0 ← 9.1 ↗
 9.4 ↓ 9.8 ↗ 8.3 ← 9.6 ↑ 10.1 ↙
 beste Teiler 712.1 (20.) 830.0 (13.) 906.1 (17.)
 Trefferlage 4.71 mm links, 0.05 mm hoch
 Streuwert 10.98, horizontal: 11.41, vertikal: 10.52

Unterschrift des Schützen


Ergebnis: **323** (336.8)
 Serien: 83 75 80 85
 Zähler: 5 12 12 7 2 1 0 1 0 0
 Innenzehner: 1
 weiteste: 5702 (15), 4160 (24), 3833 (18)
 beste Teiler 328.3 (20.) 498.1 (12.) 517.2 (30.)
 Trefferlage 8.17 mm rechts, 4.85 mm tief
 Streuwert 15.12, horizontal: 17.17, vertikal: 12.75




Serie 1:
 9.8 ↙ 7.5 ↘ 8.2 ↓ 8.4 ↗ 9.2 ↓
 8.4 → 9.0 ↓ 9.1 ↖ 9.0 ↘ 7.2 ↓
 beste Teiler 935.7 (1.) 1440.2 (5.) 1514.0 (8.)
 Trefferlage 9.23 mm rechts, 7.11 mm tief
 Streuwert 12.05, horizontal: 11.09, vertikal: 12.94



Serie 2:
 7.1 ↗ 10.3 ↓ 9.7 ↑ 8.5 → 3.8 →
 8.9 → 7.3 → 6.2 ↖ 7.0 ↘ 10.5 *
 beste Teiler 328.3 (20.) 498.1 (12.) 1013.6 (13.)
 Trefferlage 13.27 mm rechts, 0.76 mm hoch
 Streuwert 19.11, horizontal: 24.11, vertikal: 12.21



Serie 3:
 9.5 ↘ 7.3 ↘ 10.2 ↑ 5.8 ↖ 8.0 ↖
 8.2 ↓ 8.2 → 9.9 ↓ 6.3 ↓ 10.3 ↗
 beste Teiler 517.2 (30.) 618.4 (23.) 816.4 (28.)
 Trefferlage 2.86 mm rechts, 7.98 mm tief
 Streuwert 16.82, horizontal: 17.92, vertikal: 15.65





Serie 4:
 7.9 ↘ 8.1 ↗ 9.7 → 9.1 → 9.4 ↙
 9.1 ↘ 10.2 → 8.2 → 8.3 ↙ 8.0 ↖
 beste Teiler 596.4 (37.) 984.4 (33.) 1222.4 (35.)
 Trefferlage 7.31 mm rechts, 5.10 mm tief
 Streuwert 11.85, horizontal: 13.78, vertikal: 9.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.1)
 Serien: 90 89 88 92
 Zähler: 9 21 10 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2168 (28), 2029 (4), 2020 (2)
 beste Teiler 181.7 (27.) 209.0 (38.) 354.5 (5.)
 Trefferlage 0.16 mm links, 1.48 mm hoch
 Streuwert 9.30, horizontal: 10.10, vertikal: 8.43




Serie 1:
 9.2 ↘ 8.4 ↗ 9.5 ↗ 8.4 → 10.5 *
 9.2 ↙ 10.3 ↙ 9.3 ↑ 9.9 ↘ 9.6 ↘
 beste Teiler 354.5 (5.) 490.2 (7.) 853.7 (9.)
 Trefferlage 2.25 mm rechts, 4.12 mm hoch
 Streuwert 9.27, horizontal: 9.99, vertikal: 8.50



Serie 2:
 9.3 → 8.9 ↓ 9.6 ↑ 9.0 ← 9.9 ↓
 9.1 → 9.3 ← 9.8 ↘ 9.9 ↘ 9.6 ↗
 beste Teiler 801.8 (15.) 849.9 (19.) 903.1 (18.)
 Trefferlage 0.30 mm links, 1.36 mm hoch
 Streuwert 9.26, horizontal: 10.43, vertikal: 7.93



Serie 3:
 8.7 ↓ 8.8 ↙ 9.5 ↘ 9.2 ↑ 10.0 ↗
 8.6 ↓ 10.7 * 8.2 → 8.6 ↘ 10.0 ↑
 beste Teiler 181.7 (27.) 757.0 (25.) 776.0 (30.)
 Trefferlage 2.41 mm links, 0.58 mm hoch
 Streuwert 11.03, horizontal: 10.96, vertikal: 11.10





Serie 4:
 9.9 → 10.1 ↗ 8.7 ↙ 9.8 ↓ 10.3 →
 10.0 ↘ 9.7 → 10.7 * 9.2 ↗ 8.7 ↙
 beste Teiler 209.0 (38.) 510.6 (35.) 703.0 (32.)
 Trefferlage 0.18 mm links, 0.13 mm tief
 Streuwert 8.34, horizontal: 10.06, vertikal: 6.16


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **126** (132.3)
 Serien: 80 46
 Zähler: 3 5 4 0 2 1 0 0 1 0
 Innenzehner: 0
 weiteste: 6849 (8), 4292 (14), 3461 (16)
 beste Teiler 733.1 (15.) 746.0 (12.) 796.9 (3.)
 Trefferlage 10.56 mm links, 10.84 mm tief
 Streuwert 15.95, horizontal: 12.33, vertikal: 18.89





Serie 1:
 9.4 ← 8.6 ↙ 10.0 ↓ 8.3 ← 8.9 ↘
 8.5 ↑ 9.1 ← 2.4 ↙ 9.6 ↓ 9.2 ↙
 beste Teiler 796.9 (3.) 1052.2 (9.) 1276.3 (1.)
 Trefferlage 11.83 mm links, 6.94 mm tief
 Streuwert 16.74, horizontal: 10.74, vertikal: 21.09




Serie 2:
 6.9 ↓ 10.0 ↓ 9.2 ← 5.6 ↙ 10.0 ↙
 6.6 ↓
 beste Teiler 733.1 (15.) 746.0 (12.) 1388.8 (13.)
 Trefferlage 8.46 mm links, 17.33 mm tief
 Streuwert 14.65, horizontal: 15.50, vertikal: 13.74

Unterschrift des Schützen


Ergebnis: **332** (354.3)
 Serien: 84 80 87 81
 Zähler: 9 9 10 9 3 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3869 (30), 3385 (13), 3275 (32)
 beste Teiler 115.4 (28.) 201.3 (27.) 205.7 (5.)
 Trefferlage 4.44 mm links, 2.26 mm tief
 Streuwert 13.58, horizontal: 14.32, vertikal: 12.80




Serie 1:
 10.5 * 8.8 ↘ 7.8 ↙ 8.7 ↓ 10.7 *
 9.8 ↖ 9.9 ↓ 7.8 ↙ 9.0 ← 7.4 →
 beste Teiler 205.7 (5.) 339.3 (1.) 804.7 (7.)
 Trefferlage 4.47 mm links, 5.59 mm tief
 Streuwert 11.95, horizontal: 13.27, vertikal: 10.47



Serie 2:
 9.4 ↑ 8.7 ↙ 6.7 ↑ 10.4 * 8.2 ↑
 8.4 ↑ 7.2 → 9.5 ↗ 7.1 ← 8.7 ↙
 beste Teiler 427.8 (14.) 1148.7 (18.) 1278.2 (11.)
 Trefferlage 0.88 mm links, 5.14 mm hoch
 Streuwert 15.97, horizontal: 14.76, vertikal: 17.10



Serie 3:
 9.7 → 7.9 ↘ 9.5 ← 10.6 * 10.6 *
 9.9 ↓ 10.7 * 10.8 * 7.8 ↙ 6.1 ←
 beste Teiler 115.4 (28.) 201.3 (27.) 242.7 (24.)
 Trefferlage 4.63 mm links, 5.07 mm tief
 Streuwert 11.98, horizontal: 15.29, vertikal: 7.32





Serie 4:
 7.9 ↙ 6.9 ↙ 8.2 ↘ 8.4 ← 8.3 ↙
 7.8 ← 10.7 * 10.3 ↙ 9.4 ↗ 8.1 →
 beste Teiler 215.7 (37.) 559.9 (38.) 1248.6 (39.)
 Trefferlage 7.77 mm links, 3.53 mm tief
 Streuwert 14.23, horizontal: 15.30, vertikal: 13.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (363.9)
 Serien: 86 89 82 88
 Zähler: 10 15 7 6 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3870 (27), 3777 (5), 3200 (30)
 beste Teiler 119.6 (19.) 149.2 (10.) 216.9 (35.)
 Trefferlage 3.25 mm rechts, 1.54 mm tief
 Streuwert 12.45, horizontal: 12.41, vertikal: 12.50




Serie 1:
 9.0 ↘ 10.4 ↘ 9.2 ↓ 9.5 ↓ 6.2 →
 9.0 → 7.0 → 8.8 ↗ 9.2 ↖ 10.8 *
 beste Teiler 149.2 (10.) 479.4 (2.) 1162.6 (4.)
 Trefferlage 8.33 mm rechts, 5.28 mm tief
 Streuwert 12.40, horizontal: 14.23, vertikal: 10.25



Serie 2:
 9.8 ↙ 8.5 ↑ 9.5 ← 9.4 ↘ 10.6 *
 8.7 ↓ 8.4 ← 9.6 ↘ 10.8 * 9.6 ←
 beste Teiler 119.6 (19.) 307.8 (15.) 906.4 (11.)
 Trefferlage 5.34 mm links, 2.54 mm tief
 Streuwert 8.78, horizontal: 7.87, vertikal: 9.61



Serie 3:
 7.5 ↖ 10.5 * 9.8 ↘ 9.0 → 7.6 ↓
 9.8 ↓ 6.1 ↑ 8.2 → 10.3 ↓ 7.0 →
 beste Teiler 341.0 (22.) 491.5 (29.) 907.2 (23.)
 Trefferlage 6.79 mm rechts, 1.64 mm hoch
 Streuwert 15.78, horizontal: 12.74, vertikal: 18.32





Serie 4:
 8.9 ↖ 7.9 ↓ 10.3 ↘ 8.9 ↗ 10.7 *
 9.8 ↓ 9.2 ↗ 10.4 * 10.3 → 7.7 →
 beste Teiler 216.9 (35.) 447.3 (38.) 499.0 (39.)
 Trefferlage 3.23 mm rechts, 0.01 mm hoch
 Streuwert 10.70, horizontal: 10.75, vertikal: 10.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294** (316.3)
 Serien: 76 76 66 76
 Zähler: 4 8 8 7 8 3 0 2 0 0
 Innenzehner: 2
 weiteste: 5741 (27), 5696 (18), 4667 (1)
 beste Teiler 171.7 (14.) 352.9 (4.) 504.6 (3.)
 Trefferlage 5.46 mm links, 12.03 mm hoch
 Streuwert 17.56, horizontal: 17.71, vertikal: 17.41




Serie 1:
 5.1 ↖ 9.5 ↘ 10.3 ↗ 10.5 * 6.2 ↗
 8.4 ↑ 9.5 ← 5.3 ↙ 7.8 ← 7.8 ↗
 beste Teiler 352.9 (4.) 504.6 (3.) 1157.8 (7.)
 Trefferlage 5.64 mm links, 9.21 mm hoch
 Streuwert 18.90, horizontal: 18.92, vertikal: 18.87



Serie 2:
 8.5 ↗ 9.7 ↙ 8.6 ↘ 10.7 * 6.7 ↖
 10.0 ↘ 7.7 ↑ 3.8 → 7.3 ↘ 8.0 ↘
 beste Teiler 171.7 (14.) 775.6 (16.) 1006.2 (12.)
 Trefferlage 1.29 mm links, 11.16 mm hoch
 Streuwert 18.43, horizontal: 23.18, vertikal: 11.90



Serie 3:
 8.4 ↗ 8.8 ↖ 8.7 ↑ 5.8 ↖ 7.2 ↑
 6.9 ← 3.8 ↑ 7.3 ↑ 8.6 ↘ 6.8 ↘
 beste Teiler 1735.4 (22.) 1813.6 (23.) 1899.2 (29.)
 Trefferlage 7.90 mm links, 23.27 mm hoch
 Streuwert 15.54, horizontal: 14.02, vertikal: 16.93





Serie 4:
 9.2 ↑ 9.7 ↑ 9.9 ↖ 9.7 ↗ 6.9 ←
 6.6 ↖ 6.7 ↙ 7.9 ↓ 9.1 ↑ 6.9 ↑
 beste Teiler 805.7 (33.) 970.0 (34.) 1032.5 (32.)
 Trefferlage 7.03 mm links, 4.47 mm hoch
 Streuwert 16.66, horizontal: 15.46, vertikal: 17.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.4)
 Serien: 94 92 93 94
 Zähler: 14 25 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1814 (30), 1507 (5), 1444 (20)
 beste Teiler 186.6 (9.) 376.5 (24.) 425.2 (1.)
 Trefferlage 1.68 mm rechts, 3.01 mm tief
 Streuwert 6.74, horizontal: 6.58, vertikal: 6.89




Serie 1:
 10.4 * 9.2 → 9.2 ↓ 10.1 ↘ 9.1 ↓
 9.8 ↓ 10.3 ↑ 9.4 ↑ 10.7 * 9.6 ↗
 beste Teiler 186.6 (9.) 425.2 (1.) 489.4 (7.)
 Trefferlage 3.21 mm rechts, 2.24 mm tief
 Streuwert 7.06, horizontal: 5.27, vertikal: 8.49



Serie 2:
 9.5 ↘ 9.9 ↙ 9.8 ↓ 9.4 ↘ 9.6 ↖
 9.5 ↗ 10.3 → 9.6 ↓ 10.3 ↖ 9.1 ←
 beste Teiler 506.9 (17.) 551.9 (19.) 862.6 (12.)
 Trefferlage 0.52 mm links, 4.14 mm tief
 Streuwert 7.04, horizontal: 8.03, vertikal: 5.89



Serie 3:
 9.4 ↗ 9.3 ↘ 10.0 ← 10.5 * 10.2 ↘
 9.7 ↓ 9.8 → 10.3 ↑ 9.7 ← 8.7 ↓
 beste Teiler 376.5 (24.) 539.8 (28.) 590.4 (25.)
 Trefferlage 2.21 mm rechts, 2.19 mm tief
 Streuwert 7.46, horizontal: 6.74, vertikal: 8.12





Serie 4:
 9.8 ↙ 9.9 ← 10.2 ↓ 9.7 ↓ 10.4 *
 10.4 ↖ 10.2 ↗ 9.5 ↘ 9.3 → 9.6 ↓
 beste Teiler 442.2 (35.) 476.6 (36.) 566.8 (33.)
 Trefferlage 1.83 mm rechts, 3.46 mm tief
 Streuwert 5.99, horizontal: 6.46, vertikal: 5.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.1)
 Serien: 96 93 89 91
 Zähler: 16 18 5 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2805 (26), 2260 (22), 1795 (40)
 beste Teiler 169.2 (12.) 307.4 (1.) 455.3 (25.)
 Trefferlage 2.71 mm rechts, 1.63 mm hoch
 Streuwert 8.22, horizontal: 8.90, vertikal: 7.47




Serie 1:
 10.6 * 10.3 ↘ 10.2 ↖ 9.6 ↗ 10.1 ↖
 9.5 ↑ 10.1 ↘ 10.0 ↗ 9.7 → 9.3 ↑
 beste Teiler 307.4 (1.) 505.9 (2.) 564.8 (3.)
 Trefferlage 3.00 mm rechts, 4.54 mm hoch
 Streuwert 4.98, horizontal: 4.24, vertikal: 5.62



Serie 2:
 10.4 * 10.7 * 9.3 ↘ 10.1 ↖ 9.7 ←
 10.3 ← 9.1 → 9.8 → 9.1 ↗ 8.8 ↓
 beste Teiler 169.2 (12.) 456.2 (11.) 554.0 (16.)
 Trefferlage 1.92 mm rechts, 1.65 mm tief
 Streuwert 7.89, horizontal: 8.55, vertikal: 7.18



Serie 3:
 9.3 ↗ 8.1 ← 10.3 → 9.8 → 10.4 *
 7.4 ↘ 9.8 ↑ 9.0 ↗ 9.5 → 9.9 ↑
 beste Teiler 455.3 (25.) 536.7 (23.) 826.4 (30.)
 Trefferlage 0.45 mm rechts, 5.90 mm hoch
 Streuwert 10.00, horizontal: 12.36, vertikal: 6.86





Serie 4:
 10.0 ↓ 10.3 ← 8.9 ↘ 9.3 ↖ 8.8 →
 10.0 ↗ 9.0 → 10.0 ↓ 9.9 ↓ 8.7 ↘
 beste Teiler 516.0 (32.) 747.5 (31.) 767.7 (36.)
 Trefferlage 5.45 mm rechts, 2.26 mm tief
 Streuwert 8.29, horizontal: 9.20, vertikal: 7.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.8)
 Serien: 89 89 92 90
 Zähler: 11 18 11 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2131 (5), 2035 (27), 1972 (35)
 beste Teiler 239.4 (23.) 392.1 (25.) 432.9 (19.)
 Trefferlage 4.96 mm rechts, 2.18 mm tief
 Streuwert 8.55, horizontal: 8.67, vertikal: 8.43




Serie 1:
 9.5 ← 10.0 ← 8.7 → 9.9 → 8.3 ↓
 9.6 → 9.5 ↓ 8.9 ↓ 10.0 ↓ 9.0 →
 beste Teiler 743.7 (9.) 794.3 (2.) 865.2 (4.)
 Trefferlage 6.32 mm rechts, 4.22 mm tief
 Streuwert 8.50, horizontal: 9.53, vertikal: 7.33



Serie 2:
 10.2 ↓ 8.5 ↓ 8.5 ↓ 10.3 ↓ 9.1 →
 8.9 → 8.6 ↗ 9.6 ↑ 10.4 * 9.1 →
 beste Teiler 432.9 (19.) 514.4 (14.) 622.6 (11.)
 Trefferlage 6.55 mm rechts, 1.85 mm tief
 Streuwert 9.27, horizontal: 7.79, vertikal: 10.55



Serie 3:
 10.0 → 10.1 → 10.7 * 9.5 → 10.5 *
 9.3 ↓ 8.4 → 9.7 ↖ 9.5 ↑ 8.9 →
 beste Teiler 239.4 (23.) 392.1 (25.) 718.9 (22.)
 Trefferlage 6.62 mm rechts, 0.08 mm hoch
 Streuwert 7.19, horizontal: 8.28, vertikal: 5.91





Serie 4:
 9.6 ↓ 9.7 ↑ 9.2 ↗ 9.5 ↗ 8.5 ←
 10.2 ↓ 9.5 → 10.2 ↘ 9.7 ↓ 8.5 ↓
 beste Teiler 563.9 (36.) 587.8 (38.) 998.3 (32.)
 Trefferlage 0.34 mm rechts, 2.75 mm tief
 Streuwert 9.25, horizontal: 8.59, vertikal: 9.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.3)
 Serien: 93 89 91 91
 Zähler: 11 23 5 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2618 (30), 2181 (12), 2151 (35)
 beste Teiler 166.9 (8.) 396.1 (23.) 531.2 (21.)
 Trefferlage 4.04 mm links, 1.77 mm hoch
 Streuwert 8.41, horizontal: 8.12, vertikal: 8.68




Serie 1:
 9.5 ↙ 9.7 ↓ 10.0 ↗ 8.4 ↑ 10.1 ↙
 9.4 ↓ 10.1 ← 10.7 * 9.7 ↙ 9.3 ↑
 beste Teiler 166.9 (8.) 668.4 (7.) 680.0 (5.)
 Trefferlage 2.99 mm links, 0.57 mm hoch
 Streuwert 8.03, horizontal: 4.99, vertikal: 10.21



Serie 2:
 9.0 ↗ 8.2 ↗ 9.4 ↘ 10.0 ↙ 9.8 ←
 9.5 ↘ 9.4 ↙ 8.8 ↙ 9.8 ↘ 9.4 ↑
 beste Teiler 736.8 (14.) 884.3 (19.) 941.1 (15.)
 Trefferlage 3.64 mm links, 0.67 mm hoch
 Streuwert 9.78, horizontal: 9.92, vertikal: 9.63



Serie 3:
 10.3 ↓ 9.5 ← 10.5 * 9.3 ↑ 10.2 ↘
 9.0 ← 10.3 ← 9.4 ↙ 8.5 ↑ 7.7 ←
 beste Teiler 396.1 (23.) 531.2 (21.) 537.9 (27.)
 Trefferlage 7.53 mm links, 3.40 mm hoch
 Streuwert 8.11, horizontal: 8.60, vertikal: 7.58





Serie 4:
 10.1 ↘ 9.8 ↗ 9.9 ↘ 10.3 ← 8.3 ↗
 9.7 ← 9.5 ← 9.1 ↑ 9.9 ↓ 9.8 ↘
 beste Teiler 533.8 (34.) 699.3 (31.) 840.0 (39.)
 Trefferlage 2.00 mm links, 2.43 mm hoch
 Streuwert 8.21, horizontal: 8.31, vertikal: 8.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (369.6)
 Serien: 91 89 86 83
 Zähler: 11 16 5 7 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3609 (34), 2871 (1), 2839 (23)
 beste Teiler 218.1 (5.) 256.8 (38.) 278.5 (16.)
 Trefferlage 3.81 mm links, 2.13 mm hoch
 Streuwert 11.04, horizontal: 12.84, vertikal: 8.88




Serie 1:
 7.4 ↙ 10.3 ← 8.4 ↗ 9.7 ↘ 10.7 *
 9.5 ↗ 9.7 ← 10.3 → 9.3 ↙ 10.0 ↑
 beste Teiler 218.1 (5.) 483.6 (8.) 517.3 (2.)
 Trefferlage 2.88 mm links, 2.24 mm hoch
 Streuwert 9.85, horizontal: 10.60, vertikal: 9.03



Serie 2:
 7.9 ← 9.7 ↘ 10.6 * 9.0 ↙ 7.5 ←
 10.6 * 10.3 ↗ 8.3 ← 10.1 ↘ 9.9 ←
 beste Teiler 278.5 (16.) 286.0 (13.) 512.0 (17.)
 Trefferlage 9.50 mm links, 1.21 mm hoch
 Streuwert 8.71, horizontal: 10.87, vertikal: 5.80



Serie 3:
 9.3 → 7.9 → 7.4 ↘ 9.8 ↙ 9.4 ↗
 9.7 → 10.0 ↑ 8.7 ← 10.4 * 8.7 ↑
 beste Teiler 452.7 (29.) 771.0 (27.) 929.8 (24.)
 Trefferlage 5.92 mm rechts, 0.10 mm hoch
 Streuwert 11.20, horizontal: 11.65, vertikal: 10.74





Serie 4:
 9.5 ↗ 9.5 ↘ 9.7 ↙ 6.4 ↘ 7.8 ↘
 7.9 ← 9.1 ↑ 10.6 * 9.7 → 8.9 ←
 beste Teiler 256.8 (38.) 991.4 (39.) 992.4 (33.)
 Trefferlage 8.77 mm links, 4.95 mm hoch
 Streuwert 11.73, horizontal: 13.35, vertikal: 9.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (357.1)
 Serien: 88 87 82 80
 Zähler: 7 17 8 5 0 3 0 0 0 0
 Innenzehner: 3
 weiteste: 4475 (24), 4266 (17), 4226 (39)
 beste Teiler 63.1 (1.) 199.0 (3.) 281.6 (5.)
 Trefferlage 1.57 mm rechts, 0.00 mm
 Streuwert 13.70, horizontal: 13.19, vertikal: 14.19




Serie 1:
 10.9 * 9.3 → 10.7 * 7.8 ↗ 10.6 *
 7.9 ← 8.7 ↙ 9.1 ↑ 9.9 ↘ 9.5 →
 beste Teiler 63.1 (1.) 199.0 (3.) 281.6 (5.)
 Trefferlage 0.74 mm rechts, 2.62 mm hoch
 Streuwert 10.90, horizontal: 11.89, vertikal: 9.81



Serie 2:
 9.7 ↓ 8.7 ↓ 9.7 ↓ 9.7 ↗ 10.0 ↑
 9.1 ← 5.6 ↓ 10.1 → 9.8 ↗ 9.0 ↑
 beste Teiler 685.6 (18.) 758.2 (15.) 895.8 (19.)
 Trefferlage 2.31 mm links, 3.78 mm tief
 Streuwert 12.71, horizontal: 9.75, vertikal: 15.10



Serie 3:
 9.6 ↓ 7.9 ← 9.1 ↘ 5.4 ↗ 8.5 ↓
 9.2 ↓ 7.8 ↙ 9.9 ↗ 9.9 ↘ 10.0 ↘
 beste Teiler 770.2 (30.) 816.7 (28.) 879.1 (29.)
 Trefferlage 0.19 mm rechts, 3.58 mm tief
 Streuwert 15.26, horizontal: 16.91, vertikal: 13.41





Serie 4:
 8.5 ↘ 8.8 → 7.3 ↑ 8.7 → 9.2 ↘
 8.0 ↗ 9.8 ↙ 10.0 ↑ 5.7 ↗ 8.0 ↙
 beste Teiler 748.0 (38.) 898.2 (37.) 1393.4 (35.)
 Trefferlage 7.69 mm rechts, 4.73 mm hoch
 Streuwert 15.43, horizontal: 13.06, vertikal: 17.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (355.6)
 Serien: 78 84 89 87
 Zähler: 7 11 16 5 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3769 (6), 3182 (14), 3089 (5)
 beste Teiler 220.7 (11.) 369.6 (22.) 475.4 (24.)
 Trefferlage 2.71 mm links, 2.09 mm hoch
 Streuwert 13.02, horizontal: 14.11, vertikal: 11.84




Serie 1:
 8.4 ↑ 7.4 → 8.1 ↑ 8.4 ↓ 7.1 ←
 6.2 ← 7.5 → 8.0 ↑ 9.9 ↑ 10.0 →
 beste Teiler 785.1 (10.) 863.3 (9.) 2049.9 (1.)
 Trefferlage 2.41 mm links, 6.53 mm hoch
 Streuwert 17.55, horizontal: 20.70, vertikal: 13.71



Serie 2:
 10.7 * 9.7 ↓ 9.7 → 7.0 ↑ 9.6 ←
 8.5 ↗ 8.2 → 8.8 ↘ 9.6 ↑ 7.8 ←
 beste Teiler 220.7 (11.) 968.8 (13.) 973.1 (12.)
 Trefferlage 1.53 mm links, 5.02 mm hoch
 Streuwert 12.81, horizontal: 13.74, vertikal: 11.80



Serie 3:
 8.9 ← 10.5 * 10.1 ↖ 10.4 * 8.6 ↓
 9.2 ↘ 8.4 ← 9.4 → 8.9 ↑ 9.8 ←
 beste Teiler 369.6 (22.) 475.4 (24.) 666.6 (23.)
 Trefferlage 3.23 mm links, 1.67 mm tief
 Streuwert 9.70, horizontal: 10.43, vertikal: 8.92





Serie 4:
 9.3 → 8.0 ↖ 8.9 ↓ 10.0 ↓ 9.5 ↑
 9.6 → 8.9 ↖ 8.0 ← 10.2 ↑ 8.4 ↓
 beste Teiler 592.8 (39.) 761.6 (34.) 1082.1 (36.)
 Trefferlage 3.68 mm links, 1.51 mm tief
 Streuwert 11.66, horizontal: 11.55, vertikal: 11.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (359.0)
 Serien: 85 79 86 88
 Zähler: 10 10 13 5 1 0 0 1 0 0
 Innenzehner: 8
 weiteste: 5844 (18), 3276 (11), 3084 (6)
 beste Teiler 35.3 (34.) 107.2 (9.) 177.7 (30.)
 Trefferlage 2.54 mm links, 4.10 mm hoch
 Streuwert 13.45, horizontal: 15.81, vertikal: 10.59




Serie 1:
 7.2 ← 9.8 ← 8.0 ↘ 9.9 ↑ 9.8 ↖
 7.1 ↘ 9.0 ↘ 8.6 ↘ 10.8 * 9.6 ↘
 beste Teiler 107.2 (9.) 842.9 (4.) 919.9 (2.)
 Trefferlage 11.89 mm links, 7.20 mm hoch
 Streuwert 8.97, horizontal: 9.43, vertikal: 8.48



Serie 2:
 6.9 ↑ 10.5 * 10.6 * 10.7 * 8.3 ↖
 8.9 ↗ 7.2 ← 3.6 → 8.6 ↘ 9.3 ↓
 beste Teiler 205.0 (14.) 320.3 (13.) 346.1 (12.)
 Trefferlage 0.35 mm rechts, 4.67 mm hoch
 Streuwert 18.90, horizontal: 22.95, vertikal: 13.71



Serie 3:
 8.6 ↖ 10.4 * 7.8 ↘ 9.6 ↙ 9.3 ↓
 7.2 ↗ 10.4 * 8.8 ← 8.9 ↗ 10.7 *
 beste Teiler 177.7 (30.) 426.9 (27.) 452.2 (22.)
 Trefferlage 3.12 mm rechts, 1.46 mm hoch
 Streuwert 12.25, horizontal: 12.08, vertikal: 12.41





Serie 4:
 8.7 ← 8.7 ← 9.4 → 10.9 * 10.0 ↑
 8.1 ↗ 10.1 ↑ 9.7 ↗ 8.4 ↘ 8.9 ↓
 beste Teiler 35.3 (34.) 689.0 (37.) 755.0 (35.)
 Trefferlage 1.77 mm links, 3.07 mm hoch
 Streuwert 10.74, horizontal: 13.36, vertikal: 7.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **314** (337.8)
 Serien: 80 76 79 79
 Zähler: 5 11 10 7 2 4 1 0 0 0
 Innenzehner: 4
 weiteste: 5191 (14), 4624 (36), 4532 (25)
 beste Teiler 140.3 (27.) 299.8 (1.) 448.8 (33.)
 Trefferlage 11.76 mm rechts, 2.12 mm hoch
 Streuwert 14.61, horizontal: 13.92, vertikal: 15.27




Serie 1:
 10.6 * 5.9 ↓ 7.6 → 10.4 * 7.4 ↖
 9.8 → 7.9 ↓ 8.3 ↘ 9.8 ↘ 8.5 →
 beste Teiler 299.8 (1.) 459.0 (4.) 892.4 (6.)
 Trefferlage 3.84 mm rechts, 7.55 mm tief
 Streuwert 14.92, horizontal: 14.25, vertikal: 15.55



Serie 2:
 8.7 ↑ 9.5 ↘ 8.4 ↗ 4.5 ↗ 6.6 →
 7.8 ↑ 9.6 ↗ 8.8 → 10.0 → 7.9 →
 beste Teiler 745.0 (19.) 1065.1 (17.) 1192.8 (12.)
 Trefferlage 14.75 mm rechts, 11.22 mm hoch
 Streuwert 12.98, horizontal: 11.36, vertikal: 14.42



Serie 3:
 9.4 → 9.9 ↗ 6.8 → 8.8 ↗ 5.3 →
 7.4 ↑ 10.8 * 8.4 ↗ 8.4 → 9.9 ↑
 beste Teiler 140.3 (27.) 808.8 (30.) 825.0 (22.)
 Trefferlage 15.78 mm rechts, 7.44 mm hoch
 Streuwert 11.35, horizontal: 13.81, vertikal: 8.19





Serie 4:
 5.9 ↘ 7.4 ↗ 10.4 * 9.7 ↗ 9.4 →
 5.2 → 9.6 ↓ 9.9 ↓ 8.7 ↓ 8.5 →
 beste Teiler 448.8 (33.) 877.2 (38.) 1012.6 (34.)
 Trefferlage 12.66 mm rechts, 2.60 mm tief
 Streuwert 15.14, horizontal: 14.77, vertikal: 15.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.1)
 Serien: 91 93 96 93
 Zähler: 20 15 3 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3089 (16), 2431 (6), 1798 (2)
 beste Teiler 186.2 (10.) 188.3 (12.) 348.0 (18.)
 Trefferlage 2.01 mm rechts, 1.63 mm hoch
 Streuwert 7.66, horizontal: 8.17, vertikal: 7.11




Serie 1:
 10.0 ↓ 8.7 ↑ 8.8 ↗ 10.0 ↘ 9.9 ↖
 7.9 → 10.4 * 9.7 ↘ 10.3 ↗ 10.7 *
 beste Teiler 186.2 (10.) 438.4 (7.) 545.7 (9.)
 Trefferlage 2.96 mm rechts, 3.39 mm hoch
 Streuwert 8.67, horizontal: 9.20, vertikal: 8.12



Serie 2:
 9.8 ↗ 10.7 * 9.7 ↗ 9.7 ← 10.1 ↑
 7.1 ↗ 9.9 ↗ 10.5 * 10.0 ↗ 10.2 ↗
 beste Teiler 188.3 (12.) 348.0 (18.) 598.2 (20.)
 Trefferlage 4.02 mm rechts, 4.82 mm hoch
 Streuwert 7.70, horizontal: 9.80, vertikal: 4.76



Serie 3:
 9.7 ↗ 10.0 ↑ 9.9 ↓ 10.2 ↘ 10.1 ↑
 10.4 * 9.6 → 10.3 ← 9.3 ← 10.4 *
 beste Teiler 444.5 (30.) 468.8 (26.) 534.8 (28.)
 Trefferlage 1.04 mm rechts, 1.23 mm hoch
 Streuwert 6.02, horizontal: 6.94, vertikal: 4.92



Serie 4:
 9.7 ↓ 9.1 ↓ 10.4 * 8.8 → 10.2 ↗
 10.2 ↘ 9.7 ↘ 9.1 ↓ 9.7 ↘ 10.2 ↑
 beste Teiler 431.4 (33.) 571.2 (36.) 599.3 (40.)
 Trefferlage 0.00 mm , 2.91 mm tief
 Streuwert 7.68, horizontal: 7.04, vertikal: 8.26

Unterschrift des Schützen

Meyton Elektronik